




**BRAVILOR  
BONAMAT**

- **HW**-series
- **RLX**-series
- **HW 500**-series
- **HM**-series
- **HCM**

## Hot water and milk heaters

Large quantities quickly at the right temperature



The taste of quality worldwide



*Fresh  
Aroma  
Taste*



Bravilor Bonamat offers a wide range of hot water and milk equipment suitable for any location, perfect for preparing tea, soup or other hot drinks. The HW-series heats large quantities of water quickly at the right temperature, while the HM-series has been developed for heating milk and includes HCM, designed specifically for chocolate milk. This range offers a variety of high quality machines boasting simple operation, a choice of non-drip tap and push button dispense and all incorporating our boil dry safety mechanism.



## ■ HW-series



### HW 10

- Water (2 litres) quickly at the right temperature
- Features a manual fill water system allowing the machine to be placed anywhere



### HWA 20/50

- Water (3/4.5 litres) quickly at the right temperature
- Automatic water fill model with quick and easy connection to the water mains supply
- The indicator light indicates when the water is at the right temperature



◀ Quick and easy: drawing off with the handy non-drip tap.



◀ With the RLX 4 steam tap in no time other beverages at the right temperature.



## ■ RLX-series

### HWA 40/70

- Large quantities of water (4/7 litres) quickly at the right temperature
- Automatic water fill model with quick and easy connection to the water mains supply
- Cup or decanter hot water at the press of a button or a variable volume via the free flow key
- Simple programming for temperature and the water volumes (cup/decanter)
- The indicator light indicates when the water is at the right temperature
- Equipped with a descale indicator

### RLX 3

- Water (1.8 litres) quickly at the right temperature
- Automatic water fill model with quick and easy connection to the water mains supply
- Simple programming of water temperature
- Equipped with a descale indicator

### RLX 4

- Machine for hot water and steam
- Water (1.5 litres) quickly at the right temperature
- Automatic water fill model with quick and easy connection to the water mains supply
- Equipped with a descale indicator

◀ HWA 40/70 choice of cup, decanter or a variable amount with the free-flow key.

◀ RLX 3/4 also available as an integrated module within the RLX coffee range.



## ■ HW 500-series



### HW 505/510/520

- Large quantities of water (4/8/16 litres) quickly at the right temperature
- Features a manual fill water system allowing the machine to be placed anywhere
- The required temperature can be regulated by means of a thermostat
- The indicator light indicates when the water is at the right temperature
- Gauge glass provides a visible water level



### HW+ 510/520

- Large quantities of water (8/16 litres) quickly at the right temperature
- Machines with quick and easy connection to the water mains supply and filled with water at the press of a button
- The required temperature can be regulated by means of a thermostat
- The indicator light indicates when the water is at the right temperature
- Gauge glass provides a visible water level



◀ A quick tapping tube can be used for filling cups and decanters (for HW(+) series only).



◀ Water temperature can be regulated by means of a thermostat. The indicator light indicates when the contents is at the right temperature.



## ■ HM-series



### HM 505/510/520

- Large quantities of milk (5/10/20 litres) quickly at the right temperature
- Heats the milk using the bain-marie method, preventing burning or sticking
- The required temperature can be regulated by means of a thermostat
- Gauge glass provides a visible water level in the bain-marie system

## ■ HCM



### HCM 510

- Large quantities of chocolate milk (10 litres) quickly at the right temperature
- Heats the chocolate milk according to the bain-marie method, preventing burning or sticking
- The required temperature can be regulated by means of a thermostat
- Gauge glass provides a visible water level in the bain-marie system



◀ The cup heater WHK preheats cups and mugs, ensuring the beverage stays warm longer after serving.



◀ The stainless steel vacuum flasks keeps your beverage hot or cold for long periods.

**HW-series**

|                              | <b>HW 10</b>      | <b>HWA 20</b>     | <b>HWA 40</b>     | <b>HWA 50</b>     | <b>HWA 70</b>     |
|------------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Holding capacity             | 2 litres          | 3 litres          | 4 litres          | 4,5 litres        | 7 litres          |
| Throughput per hour 230V     | approx. 18 litres | approx. 18 litres | approx. 31 litres | -                 | approx. 31 litres |
| Throughput per hour 400V     | -                 | -                 | -                 | approx. 42 litres | approx. 53 litres |
| Rated power 230V~ 50/60Hz    | 2080W             | 2110W             | 3350W             | -                 | 3350W             |
| Rated power 400V~ 3N 50/60Hz | -                 | -                 | -                 | 4380W             | 6000W             |
| Dimensions (bxdxh)           | 205x355x430 mm    | 205x355x430 mm    | 218x459x532 mm    | 295x525x582 mm    | 218x460x602 mm    |

**HW 500-series**

|                           | <b>HW 505</b>     | <b>HW 510</b>     | <b>HW 520</b>     | <b>HW+ 510</b>    | <b>HW+ 520</b>    |
|---------------------------|-------------------|-------------------|-------------------|-------------------|-------------------|
| Holding capacity          | 4 litres          | 8 litres          | 16 litres         | 8 litres          | 16 litres         |
| Throughput per hour       | approx. 20 litres | approx. 30 litres | approx. 30 litres | approx. 30 litres | approx. 30 litres |
| Rated power 230V~ 50/60Hz | 1990W             | 2850W             | 2850W             | 2850W             | 2850W             |
| Dimensions (øxh)          | 205x452 mm        | 282x502 mm        | 369x520 mm        | 282x502 mm        | 369x520 mm        |

**RLX-series**

|                           | <b>RLX 3</b>      | <b>RLX 4</b>      |
|---------------------------|-------------------|-------------------|
| Holding capacity          | 1,8 litres        | 1,5 litres        |
| Throughput per hour       | approx. 18 litres | approx. 25 litres |
| Rated power 230V~ 50/60Hz | 1910W             | 2880W             |
| Dimensions (bxdxh)        | 245x509x448 mm    | 245x509x448 mm    |

**H(C)M-series**

|                            | <b>HM 505</b>      | <b>HM 510</b>      | <b>HM 520</b>      | <b>HCM 510</b>     |
|----------------------------|--------------------|--------------------|--------------------|--------------------|
| Holding capacity           | 5 litres           | 10 litres          | 20 litres          | 10 litres          |
| Heating time               | approx. 20 minutes | approx. 25 minutes | approx. 55 minutes | approx. 25 minutes |
| Rated power 230V ~ 50/60Hz | 2090W              | 2850W              | 2850W              | 2850W              |
| Dimensions (øxh)           | 210x423 mm         | 290x438 mm         | 377x458 mm         | 290x438 mm         |

**Options HW/RLX/H(C)M-series**

- Quick tapping tube
- Cabinet

**We advise the use of:**

- Renegite for descaling
- Cleaner for thorough cleaning

Your Bravilor Bonamat dealer



[www.bravilor.com](http://www.bravilor.com)